



MK 432 ELECTRONIC TIME FUZE A New Fuze for the US Navy

Chad Finch, G34 Fuze Branch Dave Mengel, Bulova Tech





ACOM


Mobility and Firepower for America's Army



Report Documentation Page					
Report Date 16Apr2001	Report Type N/A	Dates Covered (from to)			
Title and Subtitle MK 432 ELECTRONIC TIME FUZE A New Fuze for the US Navy		Contract Number			
		Grant Number			
		Program Element Number			
Author(s) Finch, Chad; Mengel, Dave		Project Number			
		Task Number			
		Work Unit Number			
Performing Organization NAVSEA DAHLGREN	Name(s) and Address(es)	Performing Organization Report Number			
Sponsoring/Monitoring A Address(es)	Agency Name(s) and	Sponsor/Monitor's Acronym(s)			
NDIA (National Defense I Wilson BLvd., Ste. 400 Ar		Sponsor/Monitor's Report Number(s)			
Distribution/Availability Statement Approved for public release, distribution unlimited					
Supplementary Notes Proceedings from The 45th Annual Fuze Conference, 16-18 April 2001 Sponsored by NDIA, The original document contains color images.					
Abstract					
Subject Terms					
Report Classification unclassified		Classification of this page unclassified			
Classification of Abstract unclassified		Limitation of Abstract UU			
Number of Pages 13					



Navy 5" Cargo Projectile **EX 172 HE-ICM**





Fuze Alternatives


	MK 429 MFF	Simplified MK 429	Modified MOFA	Modified M762A1
Development Cost	None	\$1,000,000+	\$1,000,000+	\$1,000,000+
Projectile Compatibility	Proven	Proven	TBD	Proven
Overhead Safety	Acceptable	Acceptable	TBD	Excellent
Unit Cost	High	Medium	Low	Lowest
Total Cost 14,600 Fuzes	High	High	Medium	Low

NDIA, 4/18/01, cfinch



Team Approach

- Take Advantage of M762A1 MCP in Process
- Amended Army's MCP Contract on May 2000



NDIA, 4/18/01, cfinch



Requirements

- Three Major Changes to M762A1 Fuze:
 - ➤ Compatibility w/ Gun Weapon System
 - Inductive Set Changes
 - > Battery Activation
 - From Activate on Set to Activate at Gun Launch
 - > Targets
 - Increased Timer Precision



Inductive Set Changes

M762A1

- PIAFS Setter
- 19 Bit Message
- Single Set Mode
- Time Resolution
 ➤ 0.1 Second

MK 432

- MK 34 Setter
- 26 Bit Message
- Continuous Set Mode
- Time Resolution
 - **>0.01 Second**



Inductive Set Changes

M762A1



MK 432



NDIA, 4/18/01, cfinch




Battery Activation

- M762A1
 - >Activation on Set (Manual or Inductive)
- MK 432
 - >Activation at Gun Launch Required
 - > Redundant Activation Methods:
 - Electrical Activation
 - Spin Switch Closure Initiates Battery Primer
 - Mechanical Activation



Battery Activation

- Mechanical Activation
 - ➤ Modified Actuating Rod Release Stab Pin Via Setback Force
 - ➤ Stab Pin Has Less Mass
 - Entire Stab Assembly Lubricated
 - Design Proven in Vertical Recovery Tests





Timer Precision

- M762
 - > Settable to 199.9s
 - > Set Resolution of 0.1 Seconds
- MK 432
 - > Settable to 327.66s
 - > Set Resolution of 0.01 Seconds
 - **→** Greater Precision Needed for SuW Targets
 - > System Errors Reduce Benefit at Long Range



Other Changes

- Eliminated Manual Set Capability
- Eliminated Point Detonating Backup Mode
 - ➤ MK 432 Will Dud in the Event of a Primary Mode Failure
- New Carbon Filled Ogive
 - ➤ Added Protection During Electromagnetic Environmental Effects



Qualification

- 400 Fuzes Completed on 30 March
- First 10 Gun Fired at Yuma on 21 March
 - ➤ Only 10 Months from Contract Award
 - **>**9 Successful Firings, 1 No Test
- 60 Fuzes for EEE Testing
- 102 Fuzes for MIL-STD-331B
- Qualification Completed Summer 2001



Production

- Scheduled to Begin July 2001
- 14,600 Fuzes Delivery October 2001
- Old Fashion Build to Print Contract
 - **➤ No Performance Specification**
- On Schedule for a Record Setting Delivery
 - ➤ 16 Months from PIP Contract to Completion of Production